

**What is claimed is:**

1        1.        A method for providing access to secure data through a portable computing  
2        system during a specified time, wherein said method comprises:

3                establishing a connection between said portable computing system and a  
4        base computing system to provide for transfer of data between said portable  
5        computing system and said base computing system;

6                verifying identity of said base computing system within said portable  
7        computing system;

8                resetting a timer within said portable computing system to run for a specified  
9        time; and

10               providing access to said secure data only when said timer is running.

1        2.        The method of claim 1, wherein said step or verifying identity of said base  
2        computing system comprises:

3                receiving and storing a public cryptographic key from said base computing  
4        system during an initialization process,

5                following said initialization process, generating a random number within said  
6        portable computing system;

7                transmitting said random number to said base computing system;

8                receiving a number transmitted from said base computing system;

9                decrypting said number transmitted from said base computing system to form  
10       a decrypted number; and

11               determining that said decrypted number matches said random number.

1        3.        The method of claim 1, additionally comprising a step of verifying whether a  
2        password is entered correctly in said portable computing system.

1 4. The method of claim 3, wherein said step of verifying whether a password is  
2 entered correctly includes:

3 transmitting an initial password to said base computing system during an  
4 initialization process,

5 storing said initial password within said base computing system;

6 following said initialization process, transmitting a present password to said  
7 base computing system;

8 determining in said base computing system that said initial password  
9 matches said present password;

10 transmitting an approval code from said base computing system to said  
11 portable computing system; and

12 determining that said approval code has been received.

1 5. The method of claim 1, wherein said connection is established through a  
2 switched telephone network.

1 6. The method of claim 1, wherein  
2 said timer includes a timer register storing a number corresponding to a time  
3 remaining,

4 said number corresponding to a time remaining is decremented in response  
5 to a series of timing pulses generated within said portable computing system, and

6 setting said timer includes storing a number corresponding to said specified  
7 time in said timer register.

1 7. A method providing for access to secure data through a portable computing  
2 system, wherein said access to said secure data is limited to a specified time, and  
3 wherein said method comprises:

4 initializing a base computing system and said portable computing system to  
5 work together as a system by an initialization process comprising storing data  
6 identifying said base computing system within said portable computing system; and

7           resetting said portable computing system by a reset process following said  
8   initialization process including:  
9           establishing a connection to transmit data between said portable  
10   computing system and a base computing system;  
11           determining, using said data identifying said base computing system,  
12   that said connection has been made between said portable computing  
13   system and said base computing system;  
14           setting a timer within said portable computing system to run until said  
15   specified time has expired;  
16           determining if said timer is running; and  
17           providing access to said secure data only when said timer is running.

1   8.    The method of claim 7, wherein  
2           said initialization process additionally includes determining whether said data  
3   identifying a base computing system has been previously stored in said portable  
4   computing system;  
5           if said data identifying a base computing system is determined to have been  
6   previously stored, said data identifying a base computing system remains without  
7   being overwritten during said initialization process.

1 9. The method of claim 8, wherein said data identifying said base computing is  
2 a public cryptographic key of said base computing system, and wherein said  
3 process of determining that said connection has been made between said portable  
4 computing system and said base computing system includes:

5 generating and storing random number within said portable computing  
6 system;

7 transmitting said random number from said portable computing system to  
8 said base computing system;

9 encrypting said random number within said base computing system with a  
10 private cryptographic key of said base computing system to form an encrypted  
11 number;

12 transmitting said encrypted number from said base computing system to said  
13 portable computing system;

14 decrypting said encrypted number within said portable computing system with  
15 said public cryptographic key of said base computing system to form a decrypted  
16 number; and

17 comparing said decrypted number with said random number stored within  
18 said portable computing system.

1 10. The method of claim 8, wherein

2 said timer includes a timer register storing a number corresponding to a time  
3 remaining,

4 said number corresponding to a time remaining is decremented in response  
5 to a series of timing pulses generated within said portable computing system, and

6 setting said timer includes storing a number corresponding to said specified  
7 time in said timer register.

1 11. The method of claim 8, wherein  
2 said method additionally comprises receiving an input corresponding to a  
3 time, and  
4 setting said specified time according to said input.

1 12. The method of claim 8, additionally comprising storing a cryptographic public  
2 cryptographic key of said portable computing system within said base computer  
3 system.

1 13 The method of claim 8, wherein  
2 said initialization process additionally includes receiving a present password  
3 as an input, determining if a password has been previously stored, and storing said  
4 present password in response to a determination that said password has not been  
5 previously stored, and

6 said reset process additionally includes receiving a present password as an  
7 input and determining if said password matches a stored password;

8 said timer is set within said portable computing system only in response to  
9 a determination that said password matches said stored password.

1 14. The method of claim 13, wherein  
2 said present password is received as an input within said portable computing  
3 system,

4 said present password is transmitted from said portable computing system  
5 to said base computing system,

6 said present password is stored within said base computing system following  
7 a determination that a password is not previously stored within said base computing  
8 system;

9 a determination is made in said base computing system of whether said  
10 present password matches a stored password,

11           said reset process additionally includes transmitting an approval code from  
12           said base computing system to said portable computing system in response to a  
13           determination that said present password matches said stored password, and  
14           said timer is set within said portable computing system in response to  
15           receiving said approval code.

1           15.    The method of claim 14, wherein said data identifying said base computing  
2           is a public cryptographic key of said base computing system, and wherein  
3           said process of determining that said connection has been made between said  
4           portable computing system and said base computing system includes:

5                generating and storing random number within said portable computing  
6                system;

7                concatenating said random number and said present password within said  
8                portable computing system to form a concatenated number;

9                encrypting said concatenated number within said portable computing system  
10              with said public cryptographic key of said base computing system to form a first  
11              encrypted number;

12              transmitting said first encrypted number from said portable computing system  
13              to said base computing system;

14              decrypting said first encrypted number within said base computing system  
15              with a private cryptographic key of said base computing system to form a decrypted  
16              number;

17              dividing said decrypted number to form a decrypted random number and said  
18              present password;

19              encrypting said decrypted random number within said base computing  
20              system with a private cryptographic key of said base computing system to form a  
21              second encrypted number;

22              transmitting said second encrypted number from said base computing  
23              system to said portable computing system;

24              decrypting said second encrypted number within said portable computing

**RPS9-2001-0049-US1**

25 system with said public cryptographic key of said base computing system to form  
26 a decrypted number; and  
27 comparing said decrypted number with said random number stored within  
28 said portable computing system.

11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71  
72  
73  
74  
75  
76  
77  
78  
79  
80  
81  
82  
83  
84  
85  
86  
87  
88  
89  
90  
91  
92  
93  
94  
95  
96  
97  
98  
99  
100  
101  
102  
103  
104  
105  
106  
107  
108  
109  
110  
111  
112  
113  
114  
115  
116  
117  
118  
119  
120  
121  
122  
123  
124  
125  
126  
127  
128  
129  
130  
131  
132  
133  
134  
135  
136  
137  
138  
139  
140  
141  
142  
143  
144  
145  
146  
147  
148  
149  
150  
151  
152  
153  
154  
155  
156  
157  
158  
159  
160  
161  
162  
163  
164  
165  
166  
167  
168  
169  
170  
171  
172  
173  
174  
175  
176  
177  
178  
179  
180  
181  
182  
183  
184  
185  
186  
187  
188  
189  
190  
191  
192  
193  
194  
195  
196  
197  
198  
199  
200  
201  
202  
203  
204  
205  
206  
207  
208  
209  
210  
211  
212  
213  
214  
215  
216  
217  
218  
219  
220  
221  
222  
223  
224  
225  
226  
227  
228  
229  
230  
231  
232  
233  
234  
235  
236  
237  
238  
239  
240  
241  
242  
243  
244  
245  
246  
247  
248  
249  
250  
251  
252  
253  
254  
255  
256  
257  
258  
259  
260  
261  
262  
263  
264  
265  
266  
267  
268  
269  
270  
271  
272  
273  
274  
275  
276  
277  
278  
279  
280  
281  
282  
283  
284  
285  
286  
287  
288  
289  
290  
291  
292  
293  
294  
295  
296  
297  
298  
299  
300  
301  
302  
303  
304  
305  
306  
307  
308  
309  
310  
311  
312  
313  
314  
315  
316  
317  
318  
319  
320  
321  
322  
323  
324  
325  
326  
327  
328  
329  
330  
331  
332  
333  
334  
335  
336  
337  
338  
339  
340  
341  
342  
343  
344  
345  
346  
347  
348  
349  
350  
351  
352  
353  
354  
355  
356  
357  
358  
359  
360  
361  
362  
363  
364  
365  
366  
367  
368  
369  
370  
371  
372  
373  
374  
375  
376  
377  
378  
379  
380  
381  
382  
383  
384  
385  
386  
387  
388  
389  
390  
391  
392  
393  
394  
395  
396  
397  
398  
399  
400  
401  
402  
403  
404  
405  
406  
407  
408  
409  
410  
411  
412  
413  
414  
415  
416  
417  
418  
419  
420  
421  
422  
423  
424  
425  
426  
427  
428  
429  
430  
431  
432  
433  
434  
435  
436  
437  
438  
439  
440  
441  
442  
443  
444  
445  
446  
447  
448  
449  
450  
451  
452  
453  
454  
455  
456  
457  
458  
459  
460  
461  
462  
463  
464  
465  
466  
467  
468  
469  
470  
471  
472  
473  
474  
475  
476  
477  
478  
479  
480  
481  
482  
483  
484  
485  
486  
487  
488  
489  
490  
491  
492  
493  
494  
495  
496  
497  
498  
499  
500  
501  
502  
503  
504  
505  
506  
507  
508  
509  
510  
511  
512  
513  
514  
515  
516  
517  
518  
519  
520  
521  
522  
523  
524  
525  
526  
527  
528  
529  
530  
531  
532  
533  
534  
535  
536  
537  
538  
539  
540  
541  
542  
543  
544  
545  
546  
547  
548  
549  
550  
551  
552  
553  
554  
555  
556  
557  
558  
559  
560  
561  
562  
563  
564  
565  
566  
567  
568  
569  
570  
571  
572  
573  
574  
575  
576  
577  
578  
579  
580  
581  
582  
583  
584  
585  
586  
587  
588  
589  
590  
591  
592  
593  
594  
595  
596  
597  
598  
599  
600  
601  
602  
603  
604  
605  
606  
607  
608  
609  
610  
611  
612  
613  
614  
615  
616  
617  
618  
619  
620  
621  
622  
623  
624  
625  
626  
627  
628  
629  
630  
631  
632  
633  
634  
635  
636  
637  
638  
639  
640  
641  
642  
643  
644  
645  
646  
647  
648  
649  
650  
651  
652  
653  
654  
655  
656  
657  
658  
659  
660  
661  
662  
663  
664  
665  
666  
667  
668  
669  
670  
671  
672  
673  
674  
675  
676  
677  
678  
679  
680  
681  
682  
683  
684  
685  
686  
687  
688  
689  
690  
691  
692  
693  
694  
695  
696  
697  
698  
699  
700  
701  
702  
703  
704  
705  
706  
707  
708  
709  
710  
711  
712  
713  
714  
715  
716  
717  
718  
719  
720  
721  
722  
723  
724  
725  
726  
727  
728  
729  
730  
731  
732  
733  
734  
735  
736  
737  
738  
739  
740  
741  
742  
743  
744  
745  
746  
747  
748  
749  
750  
751  
752  
753  
754  
755  
756  
757  
758  
759  
760  
761  
762  
763  
764  
765  
766  
767  
768  
769  
770  
771  
772  
773  
774  
775  
776  
777  
778  
779  
780  
781  
782  
783  
784  
785  
786  
787  
788  
789  
790  
791  
792  
793  
794  
795  
796  
797  
798  
799  
800  
801  
802  
803  
804  
805  
806  
807  
808  
809  
810  
811  
812  
813  
814  
815  
816  
817  
818  
819  
820  
821  
822  
823  
824  
825  
826  
827  
828  
829  
830  
831  
832  
833  
834  
835  
836  
837  
838  
839  
840  
841  
842  
843  
844  
845  
846  
847  
848  
849  
850  
851  
852  
853  
854  
855  
856  
857  
858  
859  
860  
861  
862  
863  
864  
865  
866  
867  
868  
869  
870  
871  
872  
873  
874  
875  
876  
877  
878  
879  
880  
881  
882  
883  
884  
885  
886  
887  
888  
889  
890  
891  
892  
893  
894  
895  
896  
897  
898  
899  
900  
901  
902  
903  
904  
905  
906  
907  
908  
909  
910  
911  
912  
913  
914  
915  
916  
917  
918  
919  
920  
921  
922  
923  
924  
925  
926  
927  
928  
929  
930  
931  
932  
933  
934  
935  
936  
937  
938  
939  
940  
941  
942  
943  
944  
945  
946  
947  
948  
949  
950  
951  
952  
953  
954  
955  
956  
957  
958  
959  
960  
961  
962  
963  
964  
965  
966  
967  
968  
969  
970  
971  
972  
973  
974  
975  
976  
977  
978  
979  
980  
981  
982  
983  
984  
985  
986  
987  
988  
989  
990  
991  
992  
993  
994  
995  
996  
997  
998  
999  
1000

1 16. A system for providing controlled access to secure data, wherein said system  
2 comprises:

3 a portable computing system providing said controlled access to secure data  
4 during a specified time, wherein said portable computing system includes first  
5 processing means, first storage means, and a timer;

6 a base computing system including second processing means and second  
7 storage means;

8 a connection between said portable computing system and said base  
9 computing system for transmitting data between said portable computing system  
10 and said base computing system; and

11 a first program, executing within said first processing means, causing said  
12 portable computing system to perform a process including:

13 determining if a public cryptographic key is stored in a first location  
14 within said first storage means;

15 in response to determining that a public cryptographic key is not  
16 stored in said first location, transmitting a request code, receiving said public  
17 cryptographic key, and storing said public cryptographic key in said first  
18 location;

19 transmitting a first code;

20 receiving a response to said first code;

21 determining from said response to said first code if a connection has  
22 been made to said base computing system; and

23 setting said timer to run until said specified time has expired;

24 a subroutine executing within said first processing means, causing said  
25 portable computing system to perform a process including:

26 determining if said timer is running; and

27 providing access to said secure data only when said timer is running;

28 and

29 a second program, executing within said second processing means, causing



said base computing system to perform a process including:  
receiving said request code;  
in response to receiving said request code, transmitting a public  
cryptographic key of said base computing system to said portable computing  
system;  
receiving said first code; and  
in response to receiving said first code, transmitting said response to  
said first code.

17. The system of claim 16, wherein  
said first storage means includes a timer register storing a number  
corresponding to a time remaining,  
said number corresponding to a time remaining is decremented in response  
to a series of timing pulses generated within said portable computing system, and  
setting said timer includes storing a number corresponding to said specified  
time in said timer register.

18. The system of claim 17, wherein  
said step of transmitting a first code includes generating a random number,  
storing said random number in a second location within said first storage, and  
transmitting said random number to said base computing system as said first code,  
said step of transmitting said response to said first code includes encrypting  
said random number with a private cryptographic key of said base computing  
system to form an encrypted random number, and transmitting said encrypted  
random number as said response to said portable computing system as said  
response to said first code, and  
said step of determining from said response to said first code if a connection  
has been made to said base computing system includes decrypting said encrypted  
number to form a decrypted number and comparing said decrypted number with  
said random number stored in said second location within said first storage.

1 19. The system of claim 18, wherein  
2 said first processing means includes a first microprocessor and a first  
3 cryptographic processor,  
4 said encrypted number is decrypted in said first cryptographic processor,  
5 said first storage means includes first secure storage accessed only through  
6 said first cryptographic processor, and  
7 said first location and said timer register within said first storage means are  
8 within said secure storage.

1 20. The system of claim 18, wherein  
2 said second processing means includes a second microprocessor and a  
3 second cryptographic processor,  
4 said random number is encrypted to form said encrypted number within said  
5 second cryptographic processor,  
6 said second storage means includes second secure storage accessed only  
7 through said second cryptographic processor, and  
8 said private cryptographic key of said base computing system is stored within  
9 said second secure storage.

1       21.    The system of claim 16, wherein  
2            said portable computing system additionally includes a display,  
3            said first program additionally causes a successful completion message to  
4       be displayed on said display in response to a determination from said response to  
5       said first code that a connection has been made to said base computing system,  
6       and  
7            said first program additionally causes an error message to be displayed on  
8       said display in response to a determination from said response to said first code  
9       that a connection has not been made to said base computing system.

1       22.    The system of claim 16, wherein  
2            said portable computing system additionally includes a display and a  
3       keyboard, and  
4            said first program causes said portable computing to perform a process  
5       additionally including displaying a menu, receiving a user input from said keyboard  
6       as said menu is displayed, and determining said specified time from said user input.

1       23.    The system of claim 16, wherein  
2            said portable computing system additionally includes a display and a  
3       keyboard,  
4            said first program causes said portable computing to perform a process  
5       additionally including displaying a menu and receiving a password from said  
6       keyboard as said menu is displayed,  
7            said step of transmitting a first code includes:  
8               generating a random number;  
9               storing said random number in a second location within said first  
10          storage;  
11            concatenating said random number with said password to form a  
12          concatenated number,

13                    encrypting said concatenated number with a private cryptographic key  
14 of said portable computer system stored in a third location within said first  
15 storage means to form said first code; and  
16                    transmitting said random number to said base computing system as  
17 said first code,  
18 said step of transmitting said response to said first code includes:  
19                    decrypting said first code with a private cryptographic key of said base  
20 computing stored in a fourth location within said second storage means;  
21                    separating said password from said random number;  
22                    determining whether said password separated from said random  
23 number matches a password stored;  
24                    encrypting said random number with a private cryptographic key of  
25 said base computing system to form an encrypted random number, and  
26                    determining if and transmitting said encrypted random number as said  
27 response to said portable computing system as said response to said first  
28 code,  
29                    said second program causes said base computing system to perform a  
30 process additionally including:  
31                    determining if a password is stored in a fifth location within said  
32 second storage means;  
33                    in response to a determination that a password is not stored in said  
34 fifth location, storing said password separated from said random number in  
35 said fifth location;  
36                    in response to a determination that a password is stored in said fifth  
37 location, comparing said password stored in said fifth location with said  
38 password separated from said random number;  
39                    in response to determining that said password stored in said fifth  
40 location matches said password separated from said random number,  
41 encrypting said random number and to form a transmitting an approval code  
42 to said portable computing system as said response to said first code; and

said step of determining from said response to said first code if a connection has been made to said base computing system includes determining that said approval code has been received.

24. The system of claim 23, wherein

said second program causes said base computing system to perform a process additionally including, in response to determining that said password stored in said fifth location does not match said password separated from said random number, transmitting an error code to said portable computing system as said response to said first code

said first program causes said portable computing to perform a process additionally including displaying a successful completion message on said display in response to receiving said approval code, and displaying an error message on said display in response to receiving said error code.

25. The system of claim 23, wherein

said first storage means includes a timer register storing a number corresponding to a time remaining,

said number corresponding to a time remaining is decremented in response to a series of timing pulses generated within said portable computing system, and

setting said timer includes storing a number corresponding to said specified time in said timer register.

26. The system of claim 23, wherein

said first processing means includes a first microprocessor and a first cryptographic processor,

said concatenated number is encrypted in said first cryptographic processor,

said first storage means includes first secure storage accessed only through said first cryptographic processor, and

said secure storage includes said first location, said third location, and said

8 timer register within said first storage means.

1 27. The system of claim 23, wherein

2 said second processing means includes a second microprocessor and a  
3 second cryptographic processor,

4 said random number is encrypted to form said encrypted number within said  
5 second cryptographic processor,

6 said second storage means includes second secure storage accessed only  
7 through said second cryptographic processor, and

8 said fourth and fifth locations within said second storage means are within  
9 said second secure storage.

1 28. The system of claim 23, wherein

2 said step of transmitting a request code includes transmitting a public  
3 cryptographic key of said portable computing system, and

4 said step of receiving a request code includes storing said public  
5 cryptographic key of said portable computing system in a sixth location within said  
6 second storage means.

1 29. A computer readable medium within a portable computing system, wherein  
2 said computer readable medium has computer readable instructions for performing  
3 a method comprising:

4 determining if a public cryptographic key is stored in a first location within  
5 said first storage means;

6 in response to determining that a public cryptographic key is not stored in  
7 said first location, transmitting a request code, receiving said public cryptographic  
8 key, and storing said public cryptographic key in said first location;

9 transmitting a first code;

10 receiving a response to said first code;

11 determining from said response to said first code if a connection has been

made to a base computing system; and  
setting a timer to run until a specified time has expired.

30. The computer readable medium of claim 29, wherein said step of setting aid timer includes storing a number corresponding to said specified time in a timer register.

31. The computer readable medium of claim 29, wherein  
said step of transmitting a first code includes generating and storing a random number, and transmitting said random number to said base computing system as said first code, and  
said step of determining from said response to said first code if a connection has been made to a base computing system includes decrypting an encrypted number to form a decrypted number and comparing said decrypted number with said random number.

32. The computer readable medium of claim 29, wherein said method additionally comprises:  
displaying a successful completion message in response to receiving an approval code; and  
displaying an error message in response to receiving an error code.

33. The computer readable medium of claim 29, wherein said method additionally comprises:  
displaying a menu;  
receiving an input from a keyboard as said menu is displayed; and  
determining said specified time from said input.

34. The computer readable medium of claim 29, wherein  
said method additionally includes displaying a menu and receiving a

3 password from a keyboard as said menu is displayed,  
4 said step of transmitting a first code includes:  
5 generating a random number;  
6 storing said random number in a second location within said first  
7 storage;  
8 concatenating said random number with said password to form a  
9 concatenated number,  
10 encrypting said concatenated number with a private cryptographic key  
11 of said portable computer system stored in a third location within said first  
12 storage means to form said first code; and  
13 transmitting said random number to said base computing system as  
14 said first code.

1 35. In a portable computing system having a user interface including a display  
2 and a keyboard, a method for limiting access to secure data to a specified time,  
3 wherein said method comprises:  
4 displaying a screen location for entering a number;  
5 accepting an input from said keyboard;  
6 displaying said input from said keyboard in said screen location;  
7 calculating a number determining said specified time as a function of said  
8 input from said keyboard;  
9 generating a random number;  
10 transmitting said random number to a base computing system;  
11 receiving an encrypted number from said base computing system,  
12 decrypting said encrypted number with a public cryptographic key stored  
13 within said portable computing system to form a decrypted number;  
14 determining if said random number matches said decrypted number; and  
15 in response to determining that said random number matches said decrypted  
16 number, setting a timer within said portable computing system to run for said  
17 specified time, wherein said access to secure data is provided only when said time

**RPS9-2001-0049-US1**



18 is running.

1 36. The method of claim 35, additionally comprising:

2 displaying a successful completion message in response to determining that  
3 said random number matches said decrypted number; and

4 displaying an error message in response to determining that said random  
5 number does not match said decrypted number.

1 37. In a portable computing system having a user interface including a display  
2 and a keyboard, a method for limiting access to secure data to a specified time,  
3 wherein said method comprises:

4 displaying a first screen location for entering a password and a second  
5 screen location for entering a number;

6 accepting a first input from said keyboard;

7 generating a password from said first input;

8 accepting a second input from said keyboard;

9 displaying said input from said keyboard in said second screen location;

10 calculating a number determining said specified time as a function of said  
11 second input from said keyboard;

12 generating a random number;

13 encrypting said password with a public cryptographic key stored in said  
14 portable computing system;

15 transmitting said random number to a base computing system;

16 receiving an encrypted number from said base computing system,

17 decrypting said encrypted number with said public cryptographic key stored  
18 within said portable computing system to form a decrypted number;

19 determining if said random number matches said decrypted number; and

20 in response to determining that said random number matches said decrypted  
21 number, setting a timer within said portable computing system to run for said  
22 specified time, wherein said access to secure data is provided only when said time

**RPS9-2001-0049-US1**

23 is running.

1 38. The method of claim 35, additionally comprising:  
2 displaying a successful completion message in response to determining that  
3 said random number matches said decrypted number; and  
4 displaying an error message in response to determining that said random  
5 number does not match said decrypted number and in response to receiving an  
6 error code from said base system.  
7

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71  
72  
73  
74  
75  
76  
77  
78  
79  
80  
81  
82  
83  
84  
85  
86  
87  
88  
89  
90  
91  
92  
93  
94  
95  
96  
97  
98  
99  
100  
101  
102  
103  
104  
105  
106  
107  
108  
109  
110  
111  
112  
113  
114  
115  
116  
117  
118  
119  
120  
121  
122  
123  
124  
125  
126  
127  
128  
129  
130  
131  
132  
133  
134  
135  
136  
137  
138  
139  
140  
141  
142  
143  
144  
145  
146  
147  
148  
149  
150  
151  
152  
153  
154  
155  
156  
157  
158  
159  
160  
161  
162  
163  
164  
165  
166  
167  
168  
169  
170  
171  
172  
173  
174  
175  
176  
177  
178  
179  
180  
181  
182  
183  
184  
185  
186  
187  
188  
189  
190  
191  
192  
193  
194  
195  
196  
197  
198  
199  
200  
201  
202  
203  
204  
205  
206  
207  
208  
209  
210  
211  
212  
213  
214  
215  
216  
217  
218  
219  
220  
221  
222  
223  
224  
225  
226  
227  
228  
229  
230  
231  
232  
233  
234  
235  
236  
237  
238  
239  
240  
241  
242  
243  
244  
245  
246  
247  
248  
249  
250  
251  
252  
253  
254  
255  
256  
257  
258  
259  
260  
261  
262  
263  
264  
265  
266  
267  
268  
269  
270  
271  
272  
273  
274  
275  
276  
277  
278  
279  
280  
281  
282  
283  
284  
285  
286  
287  
288  
289  
290  
291  
292  
293  
294  
295  
296  
297  
298  
299  
300  
301  
302  
303  
304  
305  
306  
307  
308  
309  
310  
311  
312  
313  
314  
315  
316  
317  
318  
319  
320  
321  
322  
323  
324  
325  
326  
327  
328  
329  
330  
331  
332  
333  
334  
335  
336  
337  
338  
339  
340  
341  
342  
343  
344  
345  
346  
347  
348  
349  
350  
351  
352  
353  
354  
355  
356  
357  
358  
359  
360  
361  
362  
363  
364  
365  
366  
367  
368  
369  
370  
371  
372  
373  
374  
375  
376  
377  
378  
379  
380  
381  
382  
383  
384  
385  
386  
387  
388  
389  
390  
391  
392  
393  
394  
395  
396  
397  
398  
399  
400  
401  
402  
403  
404  
405  
406  
407  
408  
409  
410  
411  
412  
413  
414  
415  
416  
417  
418  
419  
420  
421  
422  
423  
424  
425  
426  
427  
428  
429  
430  
431  
432  
433  
434  
435  
436  
437  
438  
439  
440  
441  
442  
443  
444  
445  
446  
447  
448  
449  
450  
451  
452  
453  
454  
455  
456  
457  
458  
459  
460  
461  
462  
463  
464  
465  
466  
467  
468  
469  
470  
471  
472  
473  
474  
475  
476  
477  
478  
479  
480  
481  
482  
483  
484  
485  
486  
487  
488  
489  
490  
491  
492  
493  
494  
495  
496  
497  
498  
499  
500  
501  
502  
503  
504  
505  
506  
507  
508  
509  
510  
511  
512  
513  
514  
515  
516  
517  
518  
519  
520  
521  
522  
523  
524  
525  
526  
527  
528  
529  
530  
531  
532  
533  
534  
535  
536  
537  
538  
539  
540  
541  
542  
543  
544  
545  
546  
547  
548  
549  
550  
551  
552  
553  
554  
555  
556  
557  
558  
559  
560  
561  
562  
563  
564  
565  
566  
567  
568  
569  
570  
571  
572  
573  
574  
575  
576  
577  
578  
579  
580  
581  
582  
583  
584  
585  
586  
587  
588  
589  
590  
591  
592  
593  
594  
595  
596  
597  
598  
599  
600  
601  
602  
603  
604  
605  
606  
607  
608  
609  
610  
611  
612  
613  
614  
615  
616  
617  
618  
619  
620  
621  
622  
623  
624  
625  
626  
627  
628  
629  
630  
631  
632  
633  
634  
635  
636  
637  
638  
639  
640  
641  
642  
643  
644  
645  
646  
647  
648  
649  
650  
651  
652  
653  
654  
655  
656  
657  
658  
659  
660  
661  
662  
663  
664  
665  
666  
667  
668  
669  
670  
671  
672  
673  
674  
675  
676  
677  
678  
679  
680  
681  
682  
683  
684  
685  
686  
687  
688  
689  
690  
691  
692  
693  
694  
695  
696  
697  
698  
699  
700  
701  
702  
703  
704  
705  
706  
707  
708  
709  
710  
711  
712  
713  
714  
715  
716  
717  
718  
719  
720  
721  
722  
723  
724  
725  
726  
727  
728  
729  
730  
731  
732  
733  
734  
735  
736  
737  
738  
739  
740  
741  
742  
743  
744  
745  
746  
747  
748  
749  
750  
751  
752  
753  
754  
755  
756  
757  
758  
759  
760  
761  
762  
763  
764  
765  
766  
767  
768  
769  
770  
771  
772  
773  
774  
775  
776  
777  
778  
779  
780  
781  
782  
783  
784  
785  
786  
787  
788  
789  
790  
791  
792  
793  
794  
795  
796  
797  
798  
799  
800  
801  
802  
803  
804  
805  
806  
807  
808  
809  
810  
811  
812  
813  
814  
815  
816  
817  
818  
819  
820  
821  
822  
823  
824  
825  
826  
827  
828  
829  
830  
831  
832  
833  
834  
835  
836  
837  
838  
839  
840  
841  
842  
843  
844  
845  
846  
847  
848  
849  
850  
851  
852  
853  
854  
855  
856  
857  
858  
859  
860  
861  
862  
863  
864  
865  
866  
867  
868  
869  
870  
871  
872  
873  
874  
875  
876  
877  
878  
879  
880  
881  
882  
883  
884  
885  
886  
887  
888  
889  
890  
891  
892  
893  
894  
895  
896  
897  
898  
899  
900  
901  
902  
903  
904  
905  
906  
907  
908  
909  
910  
911  
912  
913  
914  
915  
916  
917  
918  
919  
920  
921  
922  
923  
924  
925  
926  
927  
928  
929  
930  
931  
932  
933  
934  
935  
936  
937  
938  
939  
940  
941  
942  
943  
944  
945  
946  
947  
948  
949  
950  
951  
952  
953  
954  
955  
956  
957  
958  
959  
960  
961  
962  
963  
964  
965  
966  
967  
968  
969  
970  
971  
972  
973  
974  
975  
976  
977  
978  
979  
980  
981  
982  
983  
984  
985  
986  
987  
988  
989  
990  
991  
992  
993  
994  
995  
996  
997  
998  
999  
1000